

FEATURES

DSI INDUSTRIES has incorporated an extensive selection of products including private office, conference and storage furniture designed to allow a multitude of working and teaming applications.



Conference 01/2009 Price List



conference

While every effort was made to ensure the accuracy of information contained in this price list at the time of publication, we cannot accept responsibility for inaccuracies resulting from printing errors or omissions. We reserve the right to make product improvements and price changes without notice. DSI Industries Inc., is a registered trademark. © Copyright 2008 Office Furniture Group. All Rights Reserved.


Trademarks of DSI Industries Inc. - these products may be covered by one or more issued Patents or Trademarks, or Patent Pending, or Trademark applications, in North America or Internationally.



Conference SPECIFICATIONS

"BR" Style Tops

- Solid matching edge rails, precision milled in a 2" (51mm) radius design.
- Worksurface top edges are 1" (25mm) thick solid core 45 pound density particle board, finished on both sides with thermofused laminate, offering premium quality abrasion and stain resistant surfaces.


**"BN" Style Tops**

- Top edges are black color polymer bullnose edge, 1 1/2" (38mm) height, bullnose design.
- Worksurface top edges are 1" (25mm) thick solid core 45 pound density particle board, finished on both sides with thermofused laminate, offering premium quality abrasion and stain resistant surfaces.

**"MO" Style Tops -**

Refer To MONTANA Price List

- Top edges are 2mm thick matching edge, 1" (25mm) height, straight edge design.
- Worksurface top edges are 1" (25mm) thick solid core 45 pound density particle board, finished on both sides with thermofused laminate, offering premium quality abrasion and stain resistant surfaces.

**"ST" Style Tops -**

Refer To Strata II Price List

- Top edges are 2.5mm thick matching edge, 1 1/2" (38mm) height, featuring an elegant black accent design in center.
- Worksurface top edges are 1" (25mm) thick solid core 45 pound density particle board, finished on both sides with thermofused laminate, offering premium quality abrasion and stain resistant surfaces.

**Available Laminate Finishes: 'BR' and 'BN' Style Tops**

TOPS:








- * **Chocolate Walnut (CW)**
- Classic Mahogany (CM)**
- * **Cherry Henna (CH)**
- Cognac (CO)**
- * **American Cherry (AC)**
- Sahara (SA)**
- Riviera Maple (RM)**
- * **Willow Gray (WG)**









BASES:







- Chocolate Walnut (CW)**
- Classic Mahogany (CM)**
- Cherry Henna (CH)**
- Cognac (CO)**
- American Cherry (AC)**
- Sahara (SA)**
- Riviera Maple (RM)**
- Willow Gray (WG)**

* **Available August 2009**





















STYLE	DESCRIPTION	MODEL	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
	Boat Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails T-Base	BR 6 BS/TB BR 8 BS/TB BR 10 BS/TB	931 984 1085	36/914 42/1067 48/1219	72/1829 96/2438 120/3048	29/737 29/737 29/737	7/20 9/25 11/31	130/60 168/76 200/91
			RTA - Shipped Ready To Assemble Shipped as 3 Items					
	Boat Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails T-Base	BR 12 BS/TB BR 14 BS/TB BR 16 BS/TB BR 18 BS/TB BR 20 BS/TB	1860 1968 2165 2270 2388	48/1219 48/1219 48/1219 48/1219 48/1219	144/3658 168/4267 192/4877 216/5486 240/6096	29/737 29/737 29/737 29/737 29/737	17/48 19/54 21/59 23/65 25/71	288/131 316/143 344/156 372/169 400/181
			RTA - Shipped Ready To Assemble Shipped as 4 Items					
	Rectangular Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails T-Base	BR 6 RC/TB BR 8 RC/TB BR 10 RC/TB	931 984 1085	36/914 42/1067 48/1219	72/1829 96/2438 120/3048	29/737 29/737 29/737	7/20 9/25 11/31	130/60 168/76 200/91
			RTA - Shipped Ready To Assemble Shipped as 3 Items					
	Rectangular Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails T-Base	BR 12 RC/TB BR 14 RC/TB BR 16 RC/TB BR 18 RC/TB BR 20 RC/TB	1860 1968 2165 2270 2388	48/1219 48/1219 48/1219 48/1219 48/1219	144/3658 168/4267 192/4877 216/5486 240/6096	29/737 29/737 29/737 29/737 29/737	17/48 19/54 21/59 23/65 25/71	288/131 316/143 344/156 372/169 400/181
			RTA - Shipped Ready To Assemble Shipped as 4 Items					
	Square Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails Square-Base	BR 36 SQ/QB BR 42 SQ/QB BR 48 SQ/QB	848 878 908	36/914 42/1067 48/1219	36/914 42/1067 48/1219	29/737 29/737 29/737	10/28 11/31 12/34	112/51 123/56 136/62
			RTA - Shipped Ready To Assemble Shipped as 2 Items					
	T-Shape Base (Pair) with 2in/51mm solid matching edge rails	BR 24 TB/PR	385	24/610	12/305	28/711	2/06	60/27
	Square Shape Base with 2in/51mm solid matching edge rails	BR 20 QB	400	20/508	20/508	28/711	8/23	80/36

STYLE	DESCRIPTION	MODEL	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
	Boat Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 1 pre-drilled mini-port cut out T-Base	BR 6 BS/TB/MPMC BR 8 BS/TB/MPMC BR 10 BS/TB/MPMC	931 984 1085	36/914 42/1067 48/1219	72/1829 96/2438 120/3048	29/737 29/737 29/737	7/20 9/25 11/31	130/60 168/76 200/91
MINI-Port Sold Separately				RTA - Shipped Ready To Assemble Shipped as 3 Items				
	Boat Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 2 pre-drilled mini-port cut outs T-Base	BR 8 BS/TB/MPEC BR 10 BS/TB/MPEC	984 1085	42/1067 48/1219	96/2438 120/3048	29/737 29/737	9/25 11/31	168/76 200/91
MINI-Port Sold Separately				RTA - Shipped Ready To Assemble Shipped as 3 Items				
	Boat Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 2 pre-drilled mini-port cut outs T-Base	BR 12 BS/TB/MPEC BR 14 BS/TB/MPEC BR 16 BS/TB/MPEC BR 18 BS/TB/MPEC BR 20 BS/TB/MPEC	1860 1968 2165 2270 2388	48/1219 48/1219 48/1219 48/1219 48/1219	144/3658 168/4267 192/4877 216/5486 240/6096	29/737 29/737 29/737 29/737 29/737	17/48 19/54 21/59 23/65 25/71	288/131 316/143 344/156 372/169 400/181
MINI-Port Sold Separately				RTA - Shipped Ready To Assemble Shipped as 4 Items				
	Rectangular Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 1 pre-drilled mini-port cut out T-Base	BR 6 RC/TB/MPMC BR 8 RC/TB/MPMC BR 10 RC/TB/MPMC	931 984 1085	36/914 42/1067 48/1219	72/1829 96/2438 120/3048	29/737 29/737 29/737	7/20 9/25 11/31	130/60 168/76 200/91
MINI-Port Sold Separately				RTA - Shipped Ready To Assemble Shipped as 3 Items				
	Rectangular Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 2 pre-drilled mini-port cut outs T-Base	BR 8 RC/TB/MPEC BR 10 RC/TB/MPEC	984 1085	42/1067 48/1219	96/2438 120/3048	29/737 29/737	9/25 11/31	168/76 200/91
MINI-Port Sold Separately				RTA - Shipped Ready To Assemble Shipped as 3 Items				
	Rectangular Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 2 pre-drilled mini-port cut outs T-Base	BR 12 RC/TB/MPEC BR 14 RC/TB/MPEC BR 16 RC/TB/MPEC BR 18 RC/TB/MPEC BR 20 RC/TB/MPEC	1860 1968 2165 2270 2388	48/1219 48/1219 48/1219 48/1219 48/1219	144/3658 168/4267 192/4877 216/5486 240/6096	29/737 29/737 29/737 29/737 29/737	17/48 19/54 21/59 23/65 25/71	288/131 316/143 344/156 372/169 400/181
MINI-Port Sold Separately				RTA - Shipped Ready To Assemble Shipped as 4 Items				
	Square Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 1 pre-drilled mini-port cut out Square Base	BR 36 SQ/QB/MPMC BR 42 SQ/QB/MPMC BR 48 SQ/QB/MPMC	848 878 908	36/914 42/1067 48/1219	36/914 42/1067 48/1219	29/737 29/737 29/737	10/28 11/31 12/34	112/51 123/56 136/62
MINI-Port Sold Separately				RTA - Shipped Ready To Assemble Shipped as 2 Items				
	Mini-Port with Mini-Port Adapter Kit	ELE PORT 100	245	<ul style="list-style-type: none"> • 2 Simplex • 10 Ft., 15 Amp cord • 2 Voice/data ports • Voice/Data Adapter Kit standard to accept couplers & jacks • UL Listed • Available in black 				

STYLE	DESCRIPTION	MODEL	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
	Boat Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails Square Base	BR 6 BS/QB BR 8 BS/QB BR 10 BS/QB	1346 1399 1500	36/914 42/1067 48/1219	72/1829 96/2438 120/3048	29/737 29/737 29/737	21/59 23/65 26/73	230/104 268/122 300/136
								RTA - Shipped Ready To Assemble Shipped as 3 Items
	Boat Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails Square Base	BR 12 BS/QB	2290	48/1219	144/3658	29/737	36/1.01	408/185
								RTA - Shipped Ready To Assemble Shipped as 5 Items
	Boat Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails Square Base	BR 14 BS/QB BR 16 BS/QB BR 18 BS/QB BR 20 BS/QB	2798 3078 3190 3300	48/1219 48/1219 48/1219 48/1219	168/4267 192/4877 216/5486 240/6096	29/737 29/737 29/737 29/737	46/1.30 48/1.35 50/1.42 52/1.47	516/234 544/247 572/259 600/272
								RTA - Shipped Ready To Assemble Shipped as 6 Items
	Rectangular Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails Square Base	BR 6 RC/QB BR 8 RC/QB BR 10 RC/QB	1346 1399 1500	36/914 42/1067 48/1219	72/1829 96/2438 120/3048	29/737 29/737 29/737	21/59 23/65 26/73	230/104 268/122 300/136
								RTA - Shipped Ready To Assemble Shipped as 3 Items
	Rectangular Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails Square Base	BR 12 RC/QB	2290	48/1219	144/3658	29/737	36/1.01	408/185
								RTA - Shipped Ready To Assemble Shipped as 5 Items
	Rectangular Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails Square Base	BR 14 RC/QB BR 16 RC/QB BR 18 RC/QB BR 20 RC/QB	2798 3078 3190 3300	48/1219 48/1219 48/1219 48/1219	168/4267 192/4877 216/5486 240/6096	29/737 29/737 29/737 29/737	46/1.30 48/1.35 50/1.42 52/1.47	516/234 544/247 572/259 600/272
								RTA - Shipped Ready To Assemble Shipped as 6 Items



STYLE	DESCRIPTION	MODEL	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
 MINI-Port Sold Separately	Boat Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 1 pre-drilled mini-port cut out Square Base	BR 6 BS/QB/MPMC	1346	36/914	72/1829	29/737	21/59	230/104
		BR 8 BS/QB/MPMC	1399	42/1067	96/2438	29/737	23/65	268/122
		BR 10 BS/QB/MPMC	1500	48/1219	120/3048	29/737	26/73	300/136
RTA - Shipped Ready To Assemble Shipped as 3 Items								
 MINI-Port Sold Separately	Boat Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 2 pre-drilled mini-port cut outs Square Shape Base	BR 8 BS/QB/MPEC	1399	42/1067	96/2438	29/737	23/65	268/122
		BR 10 BS/QB/MPEC	1500	48/1219	120/3048	29/737	26/73	300/136
RTA - Shipped Ready To Assemble Shipped as 3 Items								
 MINI-Port Sold Separately	Boat Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 2 pre-drilled mini-port cut outs Square Base	BR 12 BS/QB/MPEC	2290	48/1219	144/3658	29/737	36/1.01	408/185
RTA - Shipped Ready To Assemble Shipped as 5 Items								
 MINI-Port Sold Separately	Boat Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 2 pre-drilled mini-port cut outs Square Base	BR 14 BS/QB/MPEC	2798	48/1219	168/4267	29/737	46/1.30	516/234
		BR 16 BS/QB/MPEC	3078	48/1219	192/4877	29/737	48/1.35	544/247
		BR 18 BS/QB/MPEC	3190	48/1219	216/5486	29/737	50/1.42	572/259
		BR 20 BS/QB/MPEC	3300	48/1219	240/6096	29/737	52/1.47	600/272
RTA - Shipped Ready To Assemble Shipped as 6 Items								
 MINI-Port Sold Separately	Rectangular Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 1 pre-drilled mini-port cut out Square Base	BR 6 RC/QB/MPMC	1346	36/914	72/1829	29/737	21/59	230/104
		BR 8 RC/QB/MPMC	1399	42/1067	96/2438	29/737	23/65	268/122
		BR 10 RC/QB/MPMC	1500	48/1219	120/3048	29/737	26/73	300/136
RTA - Shipped Ready To Assemble Shipped as 3 Items								
 MINI-Port Sold Separately	Rectangular Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 2 pre-drilled mini-port cut outs Square Base	BR 12 RC/QB/MPEC	2290	48/1219	144/3658	29/737	36/1.01	408/185
RTA - Shipped Ready To Assemble Shipped as 5 Items								
 MINI-Port Sold Separately	Rectangular Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 2 pre-drilled mini-port cut outs Square Base	BR 14 RC/QB/MPEC	2798	48/1219	168/4267	29/737	46/1.30	516/234
		BR 16 RC/QB/MPEC	3078	48/1219	192/4877	29/737	48/1.35	544/247
		BR 18 RC/QB/MPEC	3190	48/1219	216/5486	29/737	50/1.42	572/259
		BR 20 RC/QB/MPEC	3500	48/1219	240/6096	29/737	52/1.47	600/272
RTA - Shipped Ready To Assemble Shipped as 6 Items								
 MINI-Port Sold Separately	Square Shape Top 1in/25mm Thick Top with 2in/51mm solid matching edge rails and 1 pre-drilled mini-port cut out Square Base	BR 36 SQ/QB/MPMC	848	36/914	36/914	29/737	10/28	112/51
		BR 42 SQ/QB/MPMC	878	42/1067	42/1067	29/737	11/31	123/56
		BR 48 SQ/QB/MPMC	908	48/1219	48/1219	29/737	12/34	136/62
RTA - Shipped Ready To Assemble Shipped as 2 Items								
	Mini-Port with Mini-Port Adapter Kit	ELE PORT 100	245	<ul style="list-style-type: none"> • 2 Simplex • 10 Ft., 15 Amp cord • 2 Voice/data ports • Voice/Data Adapter Kit standard to accept couplers & jacks • UL Listed • Available in black 				

STYLE	DESCRIPTION	MODEL	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
	Racetrack Shape Top	BN 6 RT/DB	1186	36/914	72/1829	29/737	7/20	130/60
	1in/25mm Thick Top with	BN 8 RT/DB	1335	42/1067	96/2438	29/737	9/25	168/76
	1.5in/38mm bullnose	BN 10 RT/DB	1714	48/1219	120/3048	29/737	11/31	200/91
	black color polymer edge Standard Drum Base - Black (BK) Optional Drum Base - Silver (SL) Add Suffix (SL) to end of code							
				RTA - Shipped Ready To Assemble Shipped as 3 Items				
	Racetrack Shape Top	BN 12 RT/DB	2202	48/1219	144/3658	29/737	17/48	288/131
	1in/25mm Thick Top with							
	1.5in/38mm bullnose							
	black color polymer edge Standard Drum Base - Black (BK) Optional Drum Base - Silver (SL) Add Suffix (SL) to end of code							
				RTA - Shipped Ready To Assemble Shipped as 5 Items				
	Racetrack Shape Top	BN 14 RT/DB	2670	48/1219	168/4267	29/737	19/54	316/143
	1in/25mm Thick Top with	BN 16 RT/DB	2937	48/1219	192/4877	29/737	21/59	344/156
	1.5in/38mm bullnose	BN 18 RT/DB	2972	48/1219	216/5486	29/737	23/65	372/169
	black color polymer edge	BN 20 RT/DB	3269	48/1219	240/6096	29/737	25/71	400/181
	Standard Drum Base - Black (BK) Optional Drum Base - Silver (SL) Add Suffix (SL) to end of code							
				RTA - Shipped Ready To Assemble Shipped as 6 Items				
	Round Shape Top	BN 36 RD/DB	731	36/914	dia.	29/737	7/20	130/60
	1in/25mm Thick Top with	BN 42 RD/DB	754	42/1067	dia.	29/737	9/25	168/76
	1.5in/38mm bullnose	BN 48 RD/DB	798	48/1219	dia.	29/737	11/31	200/91
	black color polymer edge Standard Drum Base - Black (BK) Optional Drum Base - Silver (SL) Add Suffix (SL) to end of code							
				RTA - Shipped Ready To Assemble Shipped as 2 Items				
	Racetrack Shape Top	BN 6 RT/DB/MPMC	1186	36/914	72/1829	29/737	7/20	130/60
	1in/25mm Thick Top with	BN 8 RT/DB/MPMC	1335	42/1067	96/2438	29/737	9/25	168/76
	1.5in/38mm bullnose	BN 10 RT/DB/MPMC	1714	48/1219	120/3048	29/737	11/31	200/91
	black color polymer edge and 1 pre-drilled mini-port cut out Standard Drum Base - Black (BK) Optional Drum Base - Silver (SL) Add Suffix (SL) to end of code							
MINI-Port Sold Separately				RTA - Shipped Ready To Assemble Shipped as 3 Items				
	Racetrack Shape Top	BN 12 RT/DB/MPEC	2202	48/1219	144/3658	29/737	17/48	288/131
	1in/25mm Thick Top with							
	1.5in/38mm bullnose							
	black color polymer edge and 2 pre-drilled mini-port cut outs Standard Drum Base - Black (BK) Optional Drum Base - Silver (SL) Add Suffix (SL) to end of code							
MINI-Port Sold Separately				RTA - Shipped Ready To Assemble Shipped as 5 Items				
	Racetrack Shape Top	BN 14 RT/DB/MPEC	2670	48/1219	168/4267	29/737	19/54	316/143
	1in/25mm Thick Top with	BN 16 RT/DB/MPEC	2937	48/1219	192/4877	29/737	21/59	344/156
	1.5in/38mm bullnose	BN 18 RT/DB/MPEC	2972	48/1219	216/5486	29/737	23/65	372/169
	black color polymer edge	BN 20 RT/DB/MPEC	3269	48/1219	240/6096	29/737	25/71	400/181
	and 2 pre-drilled mini-port cut out Standard Drum Base - Black (BK) Optional Drum Base - Silver (SL) Add Suffix (SL) to end of code							
MINI-Port Sold Separately				RTA - Shipped Ready To Assemble Shipped as 6 Items				
	Round Shape Top	BN 36 RD/DB/MPMC	731	36/914	dia.	29/737	7/20	130/60
	1in/25mm Thick Top with	BN 42 RD/DB/MPMC	754	42/1067	dia.	29/737	9/25	168/76
	1.5in/38mm bullnose	BN 48 RD/DB/MPMC	798	48/1219	dia.	29/737	11/31	200/91
	black color polymer edge and 1 pre-drilled mini-port cut out Standard Drum Base - Black (BK) Optional Drum Base - Silver (SL) Add Suffix (SL) to end of code							
MINI-Port Sold Separately				RTA - Shipped Ready To Assemble Shipped as 2 Items				
	Drum Base	DB 18 BK (Black Finish)	372	18/610	dia.	28/17	6/17	80/36
		DB 18 SL (Silver Finish)	372	18/610	dia.	28/17	6/17	80/36